

Variable data example
Quark + database (Excel, FileMaker)

Variable data example
Quark + database (Excel, FileMaker)

Variable data example
Quark + database (Excel, FileMaker)

Invitation
001

Invitation
018

Invitation
035

Name 1 Surname 1
Address A - 1
Address B - 1

Name 18 Surname 18
Address A - 18
Address B - 18

Name 35 Surname 35
Address A - 35
Address B - 35



static texts + graphics

static texts + graphics

static texts + graphics

001




Only for:
Name 1 Surname 1

018

Only for:
Name 18 Surname 18

035

Only for:
Name 35 Surname 35



Variable data example
Quark + database (Excel, FileMaker)

Variable data example
Quark + database (Excel, FileMaker)

Variable data example
Quark + database (Excel, FileMaker)

Invitation
052

Invitation
069

Invitation
086

Name 52 Surname 52
Address A - 52
Address B - 52

Name 69 Surname 69
Address A - 69
Address B - 69

Name 86 Surname 86
Address A - 86
Address B - 86



static texts + graphics

static texts + graphics

static texts + graphics

052

Only for:
Name 52 Surname 52

069

Only for:
Name 69 Surname 69

086

Only for:
Name 86 Surname 86



Variable data example
Quark + database (Excel, FileMaker)

Variable data example
Quark + database (Excel, FileMaker)

Variable data example
Quark + database (Excel, FileMaker)

Invitation
002

Invitation
019

Invitation
036

Name 2 Surname 2
Address A - 2
Address B - 2

Name 19 Surname 19
Address A - 19
Address B - 19

Name 36 Surname 36
Address A - 36
Address B - 36



static texts + graphics

static texts + graphics

static texts + graphics

002




Only for:
Name 2 Surname 2

019

Only for:
Name 19 Surname 19

036

Only for:
Name 36 Surname 36



Variable data example
Quark + database (Excel, FileMaker)

Variable data example
Quark + database (Excel, FileMaker)

Variable data example
Quark + database (Excel, FileMaker)

Invitation
053


Invitation
070

Invitation
087

Name 53 Surname 53
Address A - 53
Address B - 53

Name 70 Surname 70
Address A - 70
Address B - 70

Name 87 Surname 87
Address A - 87
Address B - 87



static texts + graphics

static texts + graphics

static texts + graphics

053




Only for:
Name 53 Surname 53

070

Only for:
Name 70 Surname 70

087

Only for:
Name 87 Surname 87



Variable data example
Quark + database (Excel, FileMaker)

Variable data example
Quark + database (Excel, FileMaker)

Variable data example
Quark + database (Excel, FileMaker)

Invitation
003

Invitation
020

Invitation
037

Name 3 Surname 3
Address A - 3
Address B - 3

Name 20 Surname 20
Address A - 20
Address B - 20

Name 37 Surname 37
Address A - 37
Address B - 37



static texts + graphics

static texts + graphics

static texts + graphics

003




Only for:
Name 3 Surname 3

020

Only for:
Name 20 Surname 20

037

Only for:
Name 37 Surname 37



Variable data example
Quark + database (Excel, FileMaker)

Variable data example
Quark + database (Excel, FileMaker)

Variable data example
Quark + database (Excel, FileMaker)

Invitation
054

Invitation
071

Invitation
088

Name 54 Surname 54
Address A - 54
Address B - 54

Name 71 Surname 71
Address A - 71
Address B - 71

Name 88 Surname 88
Address A - 88
Address B - 88



static texts + graphics

static texts + graphics

static texts + graphics

054



Only for:
Name 54 Surname 54

071

Only for:
Name 71 Surname 71

088

Only for:
Name 88 Surname 88



Variable data example
Quark + database (Excel, FileMaker)

Variable data example
Quark + database (Excel, FileMaker)

Variable data example
Quark + database (Excel, FileMaker)

Invitation
004

Invitation
021

Invitation
038

Name 4 Surname 4
Address A - 4
Address B - 4

Name 21 Surname 21
Address A - 21
Address B - 21

Name 38 Surname 38
Address A - 38
Address B - 38



static texts + graphics

static texts + graphics

static texts + graphics

004




Only for:
Name 4 Surname 4

021

Only for:
Name 21 Surname 21

038

Only for:
Name 38 Surname 38



Variable data example
Quark + database (Excel, FileMaker)

Variable data example
Quark + database (Excel, FileMaker)

Variable data example
Quark + database (Excel, FileMaker)

Invitation
055


Invitation
072

Invitation
089

Name 55 Surname 55
Address A - 55
Address B - 55

Name 72 Surname 72
Address A - 72
Address B - 72

Name 89 Surname 89
Address A - 89
Address B - 89



static texts + graphics

static texts + graphics

static texts + graphics

055

Only for:
Name 55 Surname 55

072

Only for:
Name 72 Surname 72

089

Only for:
Name 89 Surname 89



Variable data example
Quark + database (Excel, FileMaker)

Variable data example
Quark + database (Excel, FileMaker)

Variable data example
Quark + database (Excel, FileMaker)

Invitation
005

Invitation
022

Invitation
039

Name 5 Surname 5
Address A - 5
Address B - 5

Name 22 Surname 22
Address A - 22
Address B - 22

Name 39 Surname 39
Address A - 39
Address B - 39



static texts + graphics

static texts + graphics

static texts + graphics

005




Only for:
Name 5 Surname 5

022

Only for:
Name 22 Surname 22

039

Only for:
Name 39 Surname 39



Variable data example
Quark + database (Excel, FileMaker)

Variable data example
Quark + database (Excel, FileMaker)

Variable data example
Quark + database (Excel, FileMaker)

Invitation
056



Invitation
073

Invitation
090

Name 56 Surname 56
Address A - 56
Address B - 56

Name 73 Surname 73
Address A - 73
Address B - 73

Name 90 Surname 90
Address A - 90
Address B - 90



static texts + graphics

static texts + graphics

static texts + graphics

056



Only for:
Name 56 Surname 56

073

Only for:
Name 73 Surname 73

090

Only for:
Name 90 Surname 90



Variable data example
Quark + database (Excel, FileMaker)

Variable data example
Quark + database (Excel, FileMaker)

Variable data example
Quark + database (Excel, FileMaker)

Invitation
006

Invitation
023

Invitation
040

Name 6 Surname 6
Address A - 6
Address B - 6

Name 23 Surname 23
Address A - 23
Address B - 23

Name 40 Surname 40
Address A - 40
Address B - 40



static texts + graphics

static texts + graphics

static texts + graphics

006




Only for:
Name 6 Surname 6

023

Only for:
Name 23 Surname 23

040

Only for:
Name 40 Surname 40



Variable data example
Quark + database (Excel, FileMaker)

Variable data example
Quark + database (Excel, FileMaker)

Variable data example
Quark + database (Excel, FileMaker)

Invitation
057


Invitation
074

Invitation
091

Name 57 Surname 57
Address A - 57
Address B - 57

Name 74 Surname 74
Address A - 74
Address B - 74

Name 91 Surname 91
Address A - 91
Address B - 91



static texts + graphics

static texts + graphics

static texts + graphics

057

Only for:
Name 57 Surname 57

074

Only for:
Name 74 Surname 74

091

Only for:
Name 91 Surname 91



Variable data example
Quark + database (Excel, FileMaker)

Variable data example
Quark + database (Excel, FileMaker)

Variable data example
Quark + database (Excel, FileMaker)

Invitation
007

Invitation
024

Invitation
041

Name 7 Surname 7
Address A - 7
Address B - 7

Name 24 Surname 24
Address A - 24
Address B - 24

Name 41 Surname 41
Address A - 41
Address B - 41



static texts + graphics

static texts + graphics

static texts + graphics

007




Only for:
Name 7 Surname 7

024

Only for:
Name 24 Surname 24

041

Only for:
Name 41 Surname 41



Variable data example
Quark + database (Excel, FileMaker)

Variable data example
Quark + database (Excel, FileMaker)

Variable data example
Quark + database (Excel, FileMaker)

Invitation
058



Invitation
075

Invitation
092

Name 58 Surname 58
Address A - 58
Address B - 58

Name 75 Surname 75
Address A - 75
Address B - 75

Name 92 Surname 92
Address A - 92
Address B - 92



static texts + graphics

static texts + graphics

static texts + graphics

058

Only for:
Name 58 Surname 58

075

Only for:
Name 75 Surname 75

092

Only for:
Name 92 Surname 92



Variable data example
Quark + database (Excel, FileMaker)

Variable data example
Quark + database (Excel, FileMaker)

Variable data example
Quark + database (Excel, FileMaker)

Invitation
008

Invitation
025

Invitation
042

Name 8 Surname 8
Address A - 8
Address B - 8

Name 25 Surname 25
Address A - 25
Address B - 25

Name 42 Surname 42
Address A - 42
Address B - 42



static texts + graphics

static texts + graphics

static texts + graphics

008




Only for:
Name 8 Surname 8

025

Only for:
Name 25 Surname 25

042

Only for:
Name 42 Surname 42



Variable data example
Quark + database (Excel, FileMaker)

Variable data example
Quark + database (Excel, FileMaker)

Variable data example
Quark + database (Excel, FileMaker)

Invitation
059

Invitation
076

Invitation
093

Name 59 Surname 59
Address A - 59
Address B - 59

Name 76 Surname 76
Address A - 76
Address B - 76

Name 93 Surname 93
Address A - 93
Address B - 93



static texts + graphics

static texts + graphics

static texts + graphics

059

Only for:
Name 59 Surname 59

076

Only for:
Name 76 Surname 76

093

Only for:
Name 93 Surname 93



Variable data example
Quark + database (Excel, FileMaker)

Variable data example
Quark + database (Excel, FileMaker)

Variable data example
Quark + database (Excel, FileMaker)

Invitation
009

Invitation
026

Invitation
043

Name 9 Surname 9
Address A - 9
Address B - 9

Name 26 Surname 26
Address A - 26
Address B - 26

Name 43 Surname 43
Address A - 43
Address B - 43



static texts + graphics

static texts + graphics

static texts + graphics

009




Only for:
Name 9 Surname 9

026

Only for:
Name 26 Surname 26

043

Only for:
Name 43 Surname 43



Variable data example
Quark + database (Excel, FileMaker)

Variable data example
Quark + database (Excel, FileMaker)

Variable data example
Quark + database (Excel, FileMaker)

Invitation
060


Invitation
077

Invitation
094

Name 60 Surname 60
Address A - 60
Address B - 60

Name 77 Surname 77
Address A - 77
Address B - 77

Name 94 Surname 94
Address A - 94
Address B - 94



static texts + graphics

static texts + graphics

static texts + graphics

060

Only for:
Name 60 Surname 60

077

Only for:
Name 77 Surname 77

094

Only for:
Name 94 Surname 94



Variable data example
Quark + database (Excel, FileMaker)

Variable data example
Quark + database (Excel, FileMaker)

Variable data example
Quark + database (Excel, FileMaker)

Invitation
010

Invitation
027

Invitation
044

Name 10 Surname 10
Address A - 10
Address B - 10

Name 27 Surname 27
Address A - 27
Address B - 27


Name 44 Surname 44
Address A - 44
Address B - 44



static texts + graphics

static texts + graphics




static texts + graphics



010
Only for:
Name 10 Surname 10

027
Only for:
Name 27 Surname 27

044
Only for:
Name 44 Surname 44



Variable data example
Quark + database (Excel, FileMaker)

Variable data example
Quark + database (Excel, FileMaker)

Variable data example
Quark + database (Excel, FileMaker)

Invitation
061


Invitation
078

Invitation
095

Name 61 Surname 61
Address A - 61
Address B - 61

Name 78 Surname 78
Address A - 78
Address B - 78


Name 95 Surname 95
Address A - 95
Address B - 95



static texts + graphics

static texts + graphics

static texts + graphics



061
Only for:
Name 61 Surname 61

078
Only for:
Name 78 Surname 78

095
Only for:
Name 95 Surname 95



Variable data example
Quark + database (Excel, FileMaker)

Variable data example
Quark + database (Excel, FileMaker)

Variable data example
Quark + database (Excel, FileMaker)

Invitation
011


Invitation
028

Invitation
045

Name 11 Surname 11
Address A - 11
Address B - 11

Name 28 Surname 28
Address A - 28
Address B - 28

Name 45 Surname 45
Address A - 45
Address B - 45



static texts + graphics




static texts + graphics

static texts + graphics

011
Only for:
Name 11 Surname 11

028
Only for:
Name 28 Surname 28

045
Only for:
Name 45 Surname 45



Variable data example
Quark + database (Excel, FileMaker)

Variable data example
Quark + database (Excel, FileMaker)

Variable data example
Quark + database (Excel, FileMaker)

Invitation
062


Invitation
079

Invitation
096

Name 62 Surname 62
Address A - 62
Address B - 62

Name 79 Surname 79
Address A - 79
Address B - 79

Name 96 Surname 96
Address A - 96
Address B - 96



static texts + graphics

static texts + graphics

static texts + graphics

062
Only for:
Name 62 Surname 62

079
Only for:
Name 79 Surname 79

096
Only for:
Name 96 Surname 96



Variable data example
Quark + database (Excel, FileMaker)

Variable data example
Quark + database (Excel, FileMaker)

Variable data example
Quark + database (Excel, FileMaker)

Invitation
012

Invitation
029

Invitation
046

Name 12 Surname 12
Address A - 12
Address B - 12

Name 29 Surname 29
Address A - 29
Address B - 29

Name 46 Surname 46
Address A - 46
Address B - 46



static texts + graphics



static texts + graphics

static texts + graphics

012
Only for:
Name 12 Surname 12

029
Only for:
Name 29 Surname 29

046
Only for:
Name 46 Surname 46



Variable data example
Quark + database (Excel, FileMaker)

Variable data example
Quark + database (Excel, FileMaker)

Variable data example
Quark + database (Excel, FileMaker)

Invitation
063

Invitation
080

Invitation
097

Name 63 Surname 63
Address A - 63
Address B - 63

Name 80 Surname 80
Address A - 80
Address B - 80

Name 97 Surname 97
Address A - 97
Address B - 97



static texts + graphics

static texts + graphics

static texts + graphics

063
Only for:
Name 63 Surname 63

080
Only for:
Name 80 Surname 80

097
Only for:
Name 97 Surname 97



Variable data example
Quark + database (Excel, FileMaker)

Variable data example
Quark + database (Excel, FileMaker)

Variable data example
Quark + database (Excel, FileMaker)

Invitation
013

Invitation
030

Invitation
047

Name 13 Surname 13
Address A - 13
Address B - 13

Name 30 Surname 30
Address A - 30
Address B - 30

Name 47 Surname 47
Address A - 47
Address B - 47



static texts + graphics




static texts + graphics

static texts + graphics

013
Only for:
Name 13 Surname 13

030
Only for:
Name 30 Surname 30

047
Only for:
Name 47 Surname 47



Variable data example
Quark + database (Excel, FileMaker)

Variable data example
Quark + database (Excel, FileMaker)

Variable data example
Quark + database (Excel, FileMaker)

Invitation
064


Invitation
081

Invitation
098

Name 64 Surname 64
Address A - 64
Address B - 64

Name 81 Surname 81
Address A - 81
Address B - 81

Name 98 Surname 98
Address A - 98
Address B - 98



static texts + graphics

static texts + graphics

static texts + graphics

064
Only for:
Name 64 Surname 64

081
Only for:
Name 81 Surname 81

098
Only for:
Name 98 Surname 98



Variable data example
Quark + database (Excel, FileMaker)

Variable data example
Quark + database (Excel, FileMaker)

Variable data example
Quark + database (Excel, FileMaker)

Invitation
014


Invitation
031

Invitation
048

Name 14 Surname 14
Address A - 14
Address B - 14

Name 31 Surname 31
Address A - 31
Address B - 31

Name 48 Surname 48
Address A - 48
Address B - 48



static texts + graphics



static texts + graphics

static texts + graphics

014
Only for:
Name 14 Surname 14

031
Only for:
Name 31 Surname 31

048
Only for:
Name 48 Surname 48



Variable data example
Quark + database (Excel, FileMaker)

Variable data example
Quark + database (Excel, FileMaker)

Variable data example
Quark + database (Excel, FileMaker)

Invitation
065



Invitation
082

Invitation
099

Name 65 Surname 65
Address A - 65
Address B - 65

Name 82 Surname 82
Address A - 82
Address B - 82

Name 99 Surname 99
Address A - 99
Address B - 99



static texts + graphics

static texts + graphics

static texts + graphics

065
Only for:
Name 65 Surname 65

082
Only for:
Name 82 Surname 82

099
Only for:
Name 99 Surname 99



Variable data example
Quark + database (Excel, FileMaker)

Variable data example
Quark + database (Excel, FileMaker)

Variable data example
Quark + database (Excel, FileMaker)

Invitation
015

Invitation
032

Invitation
049

Name 15 Surname 15
Address A - 15
Address B - 15

Name 32 Surname 32
Address A - 32
Address B - 32





Name 49 Surname 49
Address A - 49
Address B - 49



static texts + graphics

static texts + graphics

static texts + graphics



Variable data example
Quark + database (Excel, FileMaker)

Variable data example
Quark + database (Excel, FileMaker)

Variable data example
Quark + database (Excel, FileMaker)

Invitation
066


Invitation
083

Invitation
100

Name 66 Surname 66
Address A - 66
Address B - 66

Name 83 Surname 83
Address A - 83
Address B - 83


Name 100 Surname 100
Address A - 100
Address B - 100



static texts + graphics

static texts + graphics

static texts + graphics





Variable data example
Quark + database (Excel, FileMaker)

Variable data example
Quark + database (Excel, FileMaker)

Variable data example
Quark + database (Excel, FileMaker)

Invitation
016

Invitation
033

Invitation
050

Name 16 Surname 16
Address A - 16
Address B - 16

Name 33 Surname 33
Address A - 33
Address B - 33

Name 50 Surname 50
Address A - 50
Address B - 50



static texts + graphics




static texts + graphics

static texts + graphics

016
Only for:
Name 16 Surname 16

033
Only for:
Name 33 Surname 33

050
Only for:
Name 50 Surname 50



Variable data example
Quark + database (Excel, FileMaker)

Variable data example
Quark + database (Excel, FileMaker)

Variable data example
Quark + database (Excel, FileMaker)

Invitation
067

Invitation
084

Invitation

Name 67 Surname 67
Address A - 67
Address B - 67

Name 84 Surname 84
Address A - 84
Address B - 84



static texts + graphics

static texts + graphics

static texts + graphics

067
Only for:
Name 67 Surname 67

084
Only for:
Name 84 Surname 84

Only for:



Variable data example
Quark + database (Excel, FileMaker)

Variable data example
Quark + database (Excel, FileMaker)

Variable data example
Quark + database (Excel, FileMaker)

Invitation
017

Invitation
034

Invitation
051

Name 17 Surname 17
Address A - 17
Address B - 17

Name 34 Surname 34
Address A - 34
Address B - 34

Name 51 Surname 51
Address A - 51
Address B - 51



static texts + graphics




static texts + graphics

static texts + graphics

017
Only for:
Name 17 Surname 17

034
Only for:
Name 34 Surname 34

051
Only for:
Name 51 Surname 51



Variable data example
Quark + database (Excel, FileMaker)

Variable data example
Quark + database (Excel, FileMaker)

Variable data example
Quark + database (Excel, FileMaker)


Invitation
068

Invitation
085

Invitation

Name 68 Surname 68
Address A - 68
Address B - 68

Name 85 Surname 85
Address A - 85
Address B - 85



static texts + graphics

static texts + graphics

static texts + graphics

068
Only for:
Name 68 Surname 68

085
Only for:
Name 85 Surname 85

Only for: